

Soil Nail Parts List 2012 - 'T' Thread

Description	Part No.
N25 x 3 metre Standard Anchor Bar(680Mpa)	SN/T25/LH/3/S/680
N25 x 3 metre Galvanized Anchor Bar(680Mpa)	SN/T25/LH/3/G/680
N25 x 3 metre Standard Anchor Bar(480Mpa)	SN/T25/LH/3/S/480
N25 x 3 metre Galvanized Anchor Bar(480Mpa)	SN/T25/LH/3/G/480
N25 Coupler Standard(680Mpa)	SN/T25/LH/C/S/680
N25 Coupler Galvanized(680Mpa)	SN/T25/LH/C/G/680
N25 Coupler Standard(480Mpa)	SN/T25/LH/C/S/480
N25 Coupler Galvanized(480Mpa)	SN/T25/LH/C/G/480
N25 Tungsten Thor Bit	SN/T25/LH/TTB/55
N25 Tungsten Rock Breaker	SN/T25/LH/TRB/55
N25 Tri-Spiral Bit	SN/T25/LH/TSB/65
N25 Star-Cut Bit	SN/T25/LH/SCB/65
N25 Dome Nut Standard(casted)	SN/T25/LH/DNC/S
N25 Dome Nut Galvanized(casted)	SN/T25/LH/DNC/G
N25 Dome Nut Standard(machined)	SN/T25/LH/DNM/S
N25 Dome Nut Galvanized(machined)	SN/T25/LH/DNM/G
N32 x 3 metre Standard Anchor Bar(heavy duty)	SN/T32/LH/3/S/HD
N32 x 3 metre Galvanized Anchor Bar(heavy duty)	SN/T32/LH/3/G/HD
N32 x 3 metre Standard Anchor Bar(680Mpa)	SN/T32/LH/3/S/680
N32 x 3 metre Galvanized Anchor Bar(680Mpa)	SN/T32/LH/3/G/680
N32 x 3 metre Standard Anchor Bar(480Mpa)	SN/T32/LH/3/S/480
N32 x 3 metre Galvanized Anchor Bar(480Mpa)	SN/T32/LH/3/G/480

N32 Coupler Standard(680Mpa)	SN/T32/LH/C/S/680
N32 Coupler Galvanized(680Mpa)	SN/T32/LH/C/G/680
N32 Coupler Standard(480Mpa)	SN/T32/LH/C/S/480
N32 Coupler Galvanized(480Mpa)	SN/T32/LH/C/G/480
N32 Tungsten Thor Bit	SN/T32/LH/TTB/75
N32 Tungsten Rock Breaker	SN/T32/LH/TRB/75
N32 Tri-Spiral Bit	SN/T32/LH/TSB/90
N32 Star-Cut Bit	SN/T32/LH/SCB/90
N32 Dome Nut Standard(casted)	SN/T32/LH/DNC/S
N32 Dome Nut Galvanized(casted)	SN/T32/LH/DNC/G
N32 Dome Nut Standard(machined)	SN/T32/LH/DNM/S
N32 Dome Nut Galvanized(machined)	SN/T32/LH/DNM/G
N38 x 3 metre Standard Anchor Bar(heavy duty)	SN/T38/LH/3/S/HD
N38 x 3 metre Galvanized Anchor Bar(heavy duty)	SN/T38/LH/3/G/HD
N38 x 3 metre Standard Anchor Bar(680Mpa)	SN/T38/LH/3/S/680
N38 x 3 metre Galvanized Anchor Bar(680Mpa)	SN/T38/LH/3/G/680
N38 x 3 metre Standard Anchor Bar(480Mpa)	SN/T38/LH/3/S/480
N38 x 3 metre Galvanized Anchor Bar(480Mpa)	SN/T38/LH/3/G/480
N38 Coupler Standard(680Mpa)	SN/T38/LH/C/S/680
N38 Coupler Galvanized(680Mpa)	SN/T38/LH/C/G/680
N38 Coupler Standard(480Mpa)	SN/T38/LH/C/S/480
N38 Coupler Galvanized(480Mpa)	SN/T38/LH/C/G/480
N38 Tungsten Thor Bit	SN/T38/LH/TTB/100
N38 Tungsten Rock Breaker	SN/T38/LH/TRB/100
N38 Tri-Spiral Bit	SN/T38/LH/TSB/110
N38 Star-Cut Bit	SN/T38/LH/SCB/110

N38 Dome Nut Standard(casted)	SN/T38/LH/DNC/S
N38 Dome Nut Galvanized(casted)	SN/T38/LH/DNC/G
N38 Dome Nut Standard(machined)	SN/T38/LH/DNM/S
N38 Dome Nut Galvanized(machined)	SN/T38/LH/DNM/G
N51 x 3 metre Standard Anchor Bar(680Mpa)	SN/T51/LH/3/S/680
N51 x 3 metre Galvanized Anchor Bar(680Mpa)	SN/T51/LH/3/G/680
N51 x 3 metre Standard Anchor Bar(480Mpa)	SN/T51/LH/3/S/480
N51 x 3 metre Galvanized Anchor Bar(480Mpa)	SN/T51/LH/3/G/480
N51 Coupler Standard(680Mpa)	SN/T51/LH/C/S/680
N51 Coupler Galvanized(680Mpa)	SN/T51/LH/C/G/680
N51 Coupler Standard(480Mpa)	SN/T51/LH/C/S/480
N51 Coupler Galvanized(480Mpa)	SN/T51/LH/C/G/480
N51 Tungsten Thor Bit	SN/T51/LH/TTB/130
N51 Tungsten Rock Breaker	SN/T51/LH/TRB/130
N51 Tri-Spiral Bit	SN/T51/LH/TSB/130
N51 Star-Cut Bit	SN/T51/LH/SCB/130
N51 Dome Nut Standard(casted)	SN/T51/LH/DNC/S
N51 Dome Nut Galvanized(casted)	SN/T51/LH/DNC/G
N51 Dome Nut Standard(machined)	SN/T51/LH/DNM/S
N51 Dome Nut Galvanized(machined)	SN/T51/LH/DNM/G